Ole

ONGC Tripura Power Company Limited

(JV Company of ONGC, IL&FS, HF and Govt. of Tripura)

Udaipur-Kakraban Road, Palatana P.O., District Gomati, Tripura - 799105 Phone: 0381-2363714, Fax: 0381-2363716

Ref: OTPC/UDP/Palatana/21-22/202 ·

Date: 20.11.2021

To
The Joint Director
Ministry of Environment, Forest and Climate Change.
North Eastern Regional Office,
Law-U-Sib, Lumbatngen, Near MTC Workshop,
Shillong — 793021, (Meghalaya)

Subject: Half yearly compliance report of Environmental Clearance for the period from April 21 to Sept. 21

Reference: Environmental Clearance no. J-13011/11/2006-IA.II(T), dated 7th February 2007.

Sir,

This has reference to the Environmental Clearance mentioned above. We are submitting herewith the point wise compliance status report for the half yearly period ending on 30th September, 2021 on implementation and maintenance of the stipulated conditions and environmental safeguards.

This is for your information and record.

Thanking you,

For ONGC Tripura Power Company Limited

Yours sincerely,

(Tapas Bhowmik) DGM (Projects)

Copy to:

- 1. The Director (EI), Ministry of Environment, Forest and Climate Change, Paryavaran Bhavan, Lodi Road, New Delhi 110003.
- 2. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi 110032.
- 3. The Chairman, Tripura State Pollution Control Board, PARIVESH BHAWAN, Pandit Nehru Complex, Gorkhabasti, P.O. Kunjaban, Agartala, West Tripura, PIN 799006.
- The Managing Director, ONGC Tripura Power Company Limited, 10th Floor, Core 4 and Central, SCOPE Minar, Lakshmi Nagar, New Delhi, 110092.

(An ISO 9001, ISO 14001 and OHSAS 18001 Certified Organization)

ONGC Tripura Power Company Limited

(JV Company of ONGC, IL&FS, IIF and Govt. of Tripura)

Udalpur-Kakraban Road, Palatana P.O., District Gomati, Tripura - 799105 Phone: 0381-2363714, Fax: 0381-2363716

Date: 20.11.2021


HALF YEARLY COMPLIANCE STATUS REPORT (ending 30th Sept, 2021) OF ENVIRONMENTAL CLEARANCE ACCORDED TO M/s. ONGC TRIPURA POWER COMPANY LIMITED (OTPC) VIDE NO. J-13011/11/2006-1A.II (T), DATED 07.02.2007

SI. No.	Terms & Conditions Stipulated in the Environmental Clearance	Compliance Status till 30 th September, 2021
<u>,1</u>	The conditions stipulated by TSPCB Vide their letter no E.17 (10) {TSPCB {L-Red}{2364{2174-2273}} dated 26.05.2006 shall be strictly implemented.	
2	The Natural Gas requirement shall be limited to 5.25 MMSCM Per Day. No fuel other than Natural Gas shall be used.	
m	Necessary permission from the Chief Controller of Explosives as applicable shall be obtained and a copy of the same shall also be submitted to this ministry.	Necessary permissions have been obtained from The Chief Controller of Explosives, Nagpur and are appended herewith: i) Raw Water Chlorination Licence no. G/EC/TR/06/46 (G32617) for storage of chlorine gas in cylinders is valid till 30.09.2022. ii) Cooling Water Chlorination Licence no. G/EC/TR/06/47 (G32614) for storage of chlorine gas in cylinders is valid till 30.09.2022. iii) Liquid Carbon Dioxide storage (Unit 1): Licence no. S/HO/TR/03/4(S51791) is valid till 30.09.2022. iv) Liquid Carbon dioxide storage (Unit 2): Licence no. S/HO/TR/03/6(S51790) is valid till 30.09.2022. v) Filling and storage of Hydrogen gas: Licence no. G/HO/TR/05/5 and G/HO/TR/06/5 valid till 30.09.2024. Copies of these licences are attached as Annexure 1

(2) (20-11-2) (K. Ray)

1

	Total Land requirement for the project	Total land requirement for the project including all facilities
4	shall not exceed 90.19 ha (228.26 acres)	put together has been kept limited to 90.19 ha (228.26 acres).
	for all facilities put together.	
	Distance between HFL of river Gomati	Distance between HFL of river Gomati and the project
5	and the project boundary shall not be	boundary is around 2 Km at each point.
	less than 500 meter at each point.	
	Three stacks of 60 meter each shall be	Two stacks of height 60 meter each have been installed for
	installed with continuous on line	first two units of the project. Third stack of 60 meter shall be
6	monitoring system. The exit velocity of	installed during erection and commissioning of third unit. The
	flue gas shall be maintained at 15 m/sec.	stacks have been designed by M/s Bharat Heavy Electricals
		Limited (BHEL) to maintain the exit velocity of flue gas at 15
		m/sec.
	Low NOx burners shall be provided. NOx	Dry Low NOx burners have been installed. The combustion
	emission from individual stacks shall be	system has been designed by M/s GE Power to maintain NOx
7	restricted to less than 50 PPM	emission concentration below 50 PPM. Online CEMS system
		has been installed and real time data of stack emission are being transmitted to the server at CPCB, New Delhi.
		During the half yearly period the average value of NOX
		emission thorough stacks was maintained below 20 PPM for
		Unit #1 and below 18 PPM for Unit # 2. (Monthly average
		value for last six months is attached herewith as Annexure 2)
	Regular Sprinkling of water in vulnerable	Soil in most of areas within plant premises is under green belt
	areas of the plant shall be ensured.	and green cover. However, regular sprinkling of water is
.8		ensured in isolated small patches with bare soil (which are
<u> </u>	Effective safe guard measures shall be	very less in area) to suppress dust emission. The entire power plant including the Gas supply Pipe lines are
9	taken to ensure that there are no fugitive	designed and maintained such that no fugitive emission of gas
	emissions of gas.	takes place during operation of the plant.
	Regular monitoring of the air quality	
1	including HC levels both in work zone and	Air quality is being monitored regularly at a frequency of twice in a week (104 measurements per year) at each of four (04
10	ambient air shall be carried out in and	nos.) Ambient Air Quality Monitoring Stations installed inside
	around the power plant. Complete analysis of the recorded data shall be regularly undertaken and results shall be submitted to this ministry and its	the plant boundary whose locations have been approved by
		the Tripura State Pollution Control Board.
	Regional Office at Shillong every six months.	detector instrument. No such traceable level quantity is found.
Ē	inotine:	AAQM Report of last six months is enclosed as Annexure 3.
		Closed cycle cooling system is being used with design value of
		COC is in between 5 to 7 and we always maintain COC value
11	Closed Cycle Cooling System with	
•	minimum COC of 5 shall be provided.	Month wise average COC values during the period are:
	Lamba a sarah	Month <u>U#1</u> <u>U#2</u>
		April, 21 – 6.93 5.11
		May, 21 - SD 6.83
		June , 21 - SD 6.67
		July, 21 - 5.09 6.65
		Aug, 21 - 6.72 6.86
		Sept, 21 - 6.70 6.85
		SD – Shut Down.



12	Treated effluents conforming to the prescribed standards only shall be discharged into river Gomati.	
		Month pH TSS (mg/l) (Min – Max)
95,		April, 21 — 6.80 — 7.90 24.51 May, 21 — 7.35 — 8.10 28.23 June, 21 — 7.25 — 7.97 12.27 July, 21 — 7.07 — 7.69 13.05 Aug, 21 — 7.06 — 7.70 26.46 Sept, 21 — 7.21 — 8.18 14.71
13	Rain water harvesting shall be adopted in consultation with the Central Groundwater Authority/Board. The plan for the same shall be submitted within a period of three months from the date of clearance.	Constructions of rainwater harvesting pits (1267 million liter per annum capacity) are completed in the Month of January – 2019 as per the plan submitted to MoEFCC, Shillong office on 21,07,2014. Now it is in operation.
14	Leg of Noise level shall be limited to 75 dBA. For people working in the area of generator and other high noise areas, requisite personal protective equipments like earplugs etc. shall be provided.	Leg of Noise level is being controlled within 75 dBA. Maximum value of ambient area Noise Level are appended: Month
15	A 50 m wide green belt shall be developed around the plant periphery covering the 28 hectare of area.	The state of the state

(f/ (s. Rev))

16	Adequate safety measures shall be provided to limit the impact within the plant boundary in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning	The detection and fire fighting system installed include: i) Leak detection devices and Smoke detector devices have been installed at strategic locations for early detection. ii) Argonite gas flooding system, CO ₂ gases flooding system, Fire alarms, water spray deluge systems and water spray systems have been installed at strategic locations for fire suppression and fighting. iii) Fire hydrant network has been laid in entire plant area for fire fighting. iv) 305 numbers of various types of portable and suitable fire extinguishers have been installed at various locations inside the plant. v) Two nos. adequately equipped fire tenders vehicle with trained fire crew team are being maintained round the clock Fire Station inside the site.
17	Regular mock drills for the On-Site emergency management plan shall be carried out as per The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989. Implementation of changes/improvements required if any, in the On-Site emergency management plan shall be ensured.	An onsite emergency plan considering various types of emergencies has been formulated and is being amended from time to time for improvement. Mock drills are being carried out regularly. Our stipulated frequency of Mock Drill is at least once in six month. Last mock drill was conducted on 20.09.2021.
18	The project proponent shall advertise at least in two local news paper widely circulated in the region around the project, one of which shall be in vernicular language of locality concerned, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and forests at http://envfor.nic.in	Information of obtainment of Environmental Clearance and availability of copies of clearance letter with the Tripura State Pollution Control Board and Website of MoEF was published in two local news papers on vernacular language viz. 'Dainik Sambad' and 'Desher Katha', dated 30 th December 2008.
19	A separate environmental management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Plant Head with concerned staff members is being maintained
20	Half yearly report on the status of implementation of the stipulated conditions and environmental safeguard shall be submitted to this ministry, its Regional office, CPCB and SPCB.	Half yearly report is being submitted regularly to MoEFCC, North Eastern Zonal Office of MoEFCC, CPCB and TSPCB. Last half yearly compliance report for the period from October, 2020 to April, 2021 was submitted on 18 th May, 2021.

(\$/ (5.Rey)

21	Regional office of the Ministry of Environment and Forests located at Shillong will monitor the implementation of the stipulated conditions. Complete set of Environmental Impact assessment report and Environmental Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional office for their use during monitoring.	Complete set of Environment Impact Assessment Report and Environmental Management Plan had been submitted to the Regional office of MoEFCC in Shillong. Any additional information as and when asked by the office is also being provided. Periodic visit has also been undertaken by Regional Office of MoEFCC, Shillong to monitor the implementation of stipulated conditions.
22	Separate fund shall be allocated for implementation of environmental protection measures along with item wise brake-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purpose and year wise expenditure should be reported to the Ministry.	Separate fund had been allocated in project cost to implement environmental protection measures. The funds earmarked for the environment protection measures were not diverted for any other purpose. Presently plant is in operation stage and environment protection measures are taken through O&M expenditure in a separate budget.
23	The project authorities shall inform the Regional Office as well as the Ministry regarding the date of financial closure and final approval of the project by the concerned authorities and the dates of land development work and commissioning of plant.	The Unit 1 was successfully commissioned and dedicated to our Nation by Honorable President of India on 21 st June, 2013 and COD was declared on 04.01.2014. & The Unit 2 has been successfully commissioned and dedicated to our Nation by Honorable Prime Minister of India on 1 st December 2014 and COD has been declared on 24.3.2015.
24	Full cooperation shall be extended to the scientist/officer from the Ministry/Regional office of the ministry at shilling / the CPCB/the SPCB who would be monitoring the compliance of environmental status.	OTPC commits to extend full cooperation to the scientists / Officers from any of the regulatory authorities mentioned in connection with monitoring of environmental compliance.

Prepared by:

Sital Ray Manager (EHS) Approved by:

Tapas Bhowmik
DGM (Projects)